

# Safety Data Sheet



## I. IDENTIFICATION

---

### Product identification used on label

**Product Name:** MAXI-BATTERY PROFESSIONAL CITRUS  
**Product Identifier:** Battery, Still, Electric  
**Recommended Use of the Chemical and restrictions on use:** Liquid Odor Counteractant

**Company:** AIR-SCENT INT'L  
RIDC INDUSTRIAL PARK  
290-298 ALPHA DRIVE  
PITTSBURGH, PA 15238

**Emergency Phone Number:** EMERGENCY PHONE: (800) 535-5053  
INFORMATION PHONE: 800-247-0770  
INFORMATION FAX: 412-252-1010  
**IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222**

## II. HAZARD(S) IDENTIFICATION

---

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS  
Hazard  
Symbols:



**GHS Classification:** Skin Corrosion/Irritation Category 2; Hazardous to the aquatic environment - Acute Category 3; Hazardous to the aquatic environment - Chronic Category 3; Flammable Liquid Category 4

**GHS Signal Word:** Warning

**GHS Hazard:** Combustible Liquid; May cause skin and serious eye irritation; Keep away from open flames Avoid release to the environment.

**GHS Precautions:**

**Safety Precautions:** Keep away from open flames. No smoking. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves, eye protection.

**First Aid Measures:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

# Safety Data Sheet

## III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%
Hydrotreated light distillate (Petroleum)	64742-47-8	60 - 99
2,6-Octadienal, 3,7-dimethyl	5392-40-5	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

## IV. FIRST-AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.
<b>Eyes:</b>	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.
<b>Skin Contact:</b>	Wash with soap and water. Get medical attention if irritation develops or persists.
<b>Ingestion:</b>	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
<b>Most important symptoms and effects - acute</b>	No Data Available
<b>Most important symptoms and effects - chronic</b>	No Data Available
<b>Notes to Doctor:</b>	No additional first aid information available

## V. FIRE FIGHTING MEASURES

<b>Flammability Summary:</b>	<b>Combustible</b>
<b>Extinguishing Media:</b>	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.
<b>Extinguishing Media advised against:</b>	No Data Available
<b>Fire and/or Explosion Hazards:</b>	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash point. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death.

# Safety Data Sheet

<b>Fire Fighting Methods and Protection:</b>	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.
<b>Hazardous Combustion Products:</b>	Carbon dioxide, Carbon monoxide

## VI. ACCIDENTAL RELEASE MEASURES

---

<b>Personal Precautions and Equipment:</b>	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS
<b>Methods for Clean-up:</b>	No special spill clean-up considerations. Collect and discard in regular trash.

## VII. HANDLING AND STORAGE

---

<b>Handling Technical Measures and Precautions:</b>	Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.
<b>Storage Technical Measures and Conditions:</b>	Store in a cool dry place. Isolate from incompatible materials. Keep container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame
<b>Materials to Avoid/Chemical Incompatibility:</b>	Strong oxidizing agents Amines Strong acids Caustics (bases)

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

<b>Engineering Measures:</b>	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits
<b>Respiratory Protection:</b>	Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.
<b>Eye Protection:</b>	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield
<b>Skin Protection:</b>	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
<b>Gloves:</b>	No information available

# Safety Data Sheet

**Handling Instructions:** As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

## Control Parameters:

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available	No TLV		No PEL established

## IX. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State:	Liquid
Color:	Very pale yellow
Odor:	CITRUS
Odor Threshold:	ND
pH:	Not Available
Flash Point:	160 ° F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	6.0
Lower Flammable/Explosive Limit:	1.2
Vapor Density:	> 1
Relative Density:	1
Solubility in Water:	Soluble in water- No
Volatiles, % by weight:	3.47
Volatiles, % by weight:	3.47
Bulk Density:	7.202

## X. STABILITY AND REACTIVITY

---

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Contamination Elevated temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Amines Strong acids Caustics (bases)
Hazardous Decomposition Products:	Carbon dioxide Carbon monoxide

## XI. TOXICOLOGICAL INFORMATION

---

Routes of Entry:	Skin contact, Eye contact, Inhalation
Most Important	No Data Available
Symptoms:	
Target Organs Potentially Affected by Exposure:	Eyes, Skin, Respiratory Tract
Chemical Interactions That Change Toxicity:	None Known
Medical Conditions Aggravated by Exposure:	Eye disease, Skin disease including eczema and sensitization, Respiratory disease including asthma and bronchitis

Immediate (Acute) Health Effects by Route of Exposure:

MAXI-BATTERY PROFESSIONAL CITRUS

Page 4 of 6

# Safety Data Sheet

**Inhalation Irritation:** Can cause respiratory irritation.  
**Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.  
**Eye Contact:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.  
**Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.  
**Ingestion Toxicity:** Harmful if swallowed.

## Long-Term (Chronic) Health Effects:

**Carcinogenicity:** None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.  
**Reproductive toxicity:** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.  
**Germ cell mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.  
**Inhalation:** Upon prolonged and/or repeated exposure, can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.  
**Skin Contact:** Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

## Component Toxicology Data:

Chemical Name	CAS Number	LD50/LC50
No data available		

## Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

## XII. ECOLOGICAL INFORMATION

**Overview:** This material is not expected to be harmful to the ecology.  
**Mobility in Soil:** No Data Available  
**Persistence:** No Data Available  
**Bioaccumulation:** No Data Available  
**Other adverse effects** No Data Available

## Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available				

## XIII. DISPOSAL CONSIDERATIONS

# Safety Data Sheet

**Waste Description for Spent Product:** Spent or discarded material may be a hazardous waste.  
**Waste Description for Empty Packaging:** No Data Available

**Disposal Methods:** DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

## XIV. TRANSPORTATION INFORMATION

---

**US DOT Ground Shipping Description:** Not Restricted  
**IATA Shipping Description:** Not Restricted  
**IMDG Shipping Description:** Not Restricted

## XV. REGULATORY INFORMATION

---

**TSCA Status** All components in this product are on the TSCA Inventory.

Chemical Name	CAS #	Regulation	% Range
No 313-listed chemicals in this product		SARA 313	

## XVI. OTHER INFORMATION

---

**Revision Date:** 07/09/2015

**Disclaimer:** Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.